

>>> **Leaderhub-9 Generations<I5>OPS Spec<<<**



**Picture**

### Main Features:

1. Front DP+HDMI interface, JAE Support 4K60.
2. Double antenna addition WIFI Signal output
3. 6\*USB Port, Meet customer multiple application requirements
4. Front hard one - key restore, convenient system restore.

Processor	System Chipset	Intel® H110-C Express
	CPU Model	I5 -11320(3.2GHz)
Memory	Technology	1 x SODIMMs DDR4
	Memory	DDR8 G
Display	Front end output	DP 3840 x 2160 4K60Hz
		HDMI-1.4 3840 x 2160
	JAE port	HDMI-2.0 3840 x 2160 4K60Hz
Processor graphics card	Model	Intel® Core Graphics
Hard disk	SSD	1. MINI-SATA Solid-state drive interface 256G;
		2 SATA2 5 inch Mechanical hard disk port
Stand 2.4G Optional dual-frequency 5G	Interface	Standard 2.4G+5G
	Support	Stand 2.4g(Optional 2.4+5g dual-frequency)
I/O interface	JAE Connector	1 (JAE TX25 80-PIN)
	DP	DP 3840 x 2160
	HDMI	HDMI 3840 x2160
	LAN	1x10/100/1000Mbps (RJ45)
	USB	3 x USB3.0 & 3 x USB2.0
	Audio	1 x AUDIO OUT + 1 x MIN IN
Extension interface	Mini-PCLe (Built-in)	1 x Mini-PCle
		1 x Msata
Power requirements	Input voltage	DC-IN 12-19V Compute the CPU power
Physical properties	Size	180x 195x 30MM (180x 195x 42MM-Optional)
	Shell Material	Iron
Heat dissipation	Heat dissipation way Aluminum double ball fans for heat dissipation	
Environment	Temperature	-20℃~60℃
	Relative humidity	10%~90% non-condensing
Software	Operating system	Windows®10

# OPS drawings

( 180mm\*195mm\*30mm)



